

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.11 Revision Date 12.01.2024 Print Date 30.08.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Benzene solution
	Product Number Brand REACH No.	:	CRM48617 Supelco This product is a mixture. REACH Registration Number see section 3.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laboratory chemicals, Manufacture of substances
Uses advised against	:	For R&D use only. Not for pharmaceutical, household or other
		uses.

## 1.3 Details of the supplier of the safety data sheet

Company	: Merck Life Science S.A.S
	80 Rue de Luzais
	F-38297 SAINT QUENTIN FALLAVIER CEDEX

## 1.4 Emergency telephone

Emergency Phone # : +33 (0)9 75 18 14 07 (CHEMTREC) +33 (0)1 45 42 59 59 (I.N.R.S.)

## **SECTION 2: Hazards identification**

2.1	<b>Classification of the substance or</b> Flammable liquids, (Category 2)	<ul> <li>mixture</li> <li>H225: Highly flammable liquid and vapor.</li> </ul>
	Acute toxicity, (Category 3)	H301: Toxic if swallowed.
	Acute toxicity, (Category 3)	H331: Toxic if inhaled.
	Acute toxicity, (Category 3)	H311: Toxic in contact with skin.
	Specific target organ toxicity - single exposure, (Category 1), Eyes, Central nervous system	H370: Causes damage to organs.

Supelco- CRM48617

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 13

## 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Signal Word Danger	Pictogram	
	Signal Word	Danger
Hazard StatementsH225Highly flammable liquid and vapor.H301 + H311 + H331Toxic if swallowed, in contact with skin or if inhaled.H370Causes damage to organs (Eyes, Central nervous system).	H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled.
Precautionary Statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	•	
P233 Keep container tightly closed.		Keep container tightly closed.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.	P280	
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	P301 + P310	•
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	P303 + P361 + P353	
P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.	P304 + P340 + P311	•
Supplemental Hazard none Statements		none

## Reduced Labeling (<= 125 ml)

Pictogram



Signal Word	Danger
Hazard Statements H370 H301 + H311 + H331	Causes damage to organs. Toxic if swallowed, in contact with skin or if inhaled.
Precautionary Statements P301 + P310 P304 + P340 + P311	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
Supplemental Hazard Statements	none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

Supelco- CRM48617

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 13

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

## 3.2 Mixtures

Component		Classification	Concentration
Methanol			
CAS-No. EC-No. Index-No. Registration number	67-56-1 200-659-6 603-001-00-X 01-2119433307-44- XXXX	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370 Concentration limits: >= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT SE 2, H371;	>= 90 - <= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

## **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

## If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

## If swallowed

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

Supelco- CRM48617

Page 3 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



# **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## SECTION 5: Firefighting measures

## 5.1 Extinguishing media

**Suitable extinguishing media** Foam Carbon dioxide (CO2) Dry powder

## **Unsuitable extinguishing media** For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.

- **6.3** Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4 Reference to other sections** For disposal see section 13.

Supelco- CRM48617

Page 4 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with workplace control parameters

## 8.2 Exposure controls

## Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

required

#### **Body Protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK

Supelco- CRM48617

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 13

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

#### SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

TUL	ormation on basic pr	iysical and chemical properties
a)	Physical state	liquid
b)	Color	No data available
c)	Odor	No data available
d)	Melting point/freezing point	No data available
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	9,7 °C
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	No data available
n)	Partition coefficient: n-octanol/water	No data available
o)	Vapor pressure	No data available
p)	Density	No data available
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

Supelco- CRM48617

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 13

- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none
- **9.2 Other safety information** No data available

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Vapors may form explosive mixture with air.

**10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .

## **10.3** Possibility of hazardous reactions

No data available

- **10.4 Conditions to avoid** Warming.
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Mixture

## Acute toxicity

Oral: No data available Acute toxicity estimate Inhalation - 4 h - 3,1 mg/l - vapor(Calculation method)

Acute toxicity estimate Dermal - 300,16 mg/kg (Calculation method)

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitization** No data available

Germ cell mutagenicity No data available

Carcinogenicity No data available

Reproductive toxicity No data available

Supelco- CRM48617

The life science business of Merck operates as MilliporeSigma in the US and Canada

#### Page 7 of 13

#### **Specific target organ toxicity - single exposure** Mixture causes damage to organs. - Eyes, Central nervous system

Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

## **11.2 Additional Information**

## **Endocrine disrupting properties**

## Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## Components

## Methanol

## Acute toxicity

Acute toxicity estimate Oral - 100,1 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting Acute toxicity estimate Inhalation - 4 h - 3,1 mg/l - vapor (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract. Acute toxicity estimate Dermal - 300,1 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

## Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation Remarks: (ECHA) Remarks: Drying-out effect resulting in rough and chapped skin.

## Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation

Supelco- CRM48617

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 13



Remarks: (ECHA)

## Respiratory or skin sensitization

Sensitisation test: - Guinea pig Result: negative (OECD Test Guideline 406)

#### Germ cell mutagenicity

Based on available data the classification criteria are not met. Test Type: Ames test Test system: Salmonella typhimurium Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Result: negative Method: OECD Test Guideline 474 Species: Mouse - male and female - Bone marrow Result: negative

#### Carcinogenicity

Did not show carcinogenic effects in animal experiments.

#### **Reproductive toxicity**

Based on available data the classification criteria are not met.

## Specific target organ toxicity - single exposure

Causes damage to organs. - Eyes, Central nervous system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute oral toxicity - Nausea, Vomiting Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

#### Specific target organ toxicity - repeated exposure No data available

#### Aspiration hazard

No data available

## **SECTION 12: Ecological information**

## **12.1 Toxicity**

**Mixture** No data available

#### **12.2 Persistence and degradability** No data available

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

Supelco- CRM48617

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 13

levels of 0.1% or higher.

## **12.6 Endocrine disrupting properties**

12.0	Product:				
	Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			
12.7	<b>Other adverse effects</b> No data available				
	Components				
	Methanol				
	Toxicity to fish	flow-through test LC50 - Lepomis macrochirus (Bluegill) - 15.400,0 mg/l - 96 h (US-EPA)			
	Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 18.260 mg/l - 96 h (OECD Test Guideline 202)			
	Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - ca. 22.000,0 mg/l - 96 h (OECD Test Guideline 201)			
	Toxicity to bacteria	static test IC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)			
	Toxicity to fish(Chronic toxicity)	NOEC - Oryzias latipes (Orange-red killifish) - 7.900 mg/l - 200 h Remarks: (External MSDS)			

## SECTION 13: Disposal considerations

**13.1 Waste treatment methods** No data available

## **SECTION 14: Transport information**

**14.1 UN number** ADR/RID: 1230

IMDG: 1230

IATA: 1230

**14.2 UN proper shipping name** ADR/RID: METHANOL, SOLUTION

Supelco- CRM48617

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 10 of 13



	IMDG: IATA:	METHANOL, SOL Methanol, SOLUT			
14.3	Transport ADR/RID:	t hazard class(e 3 (6.1)	s)	IMDG: 3 (6.1)	IATA: 3 (6.1)
14.4	Packaging ADR/RID:			IMDG: II	IATA: II
14.5	<b>Environm</b> ADR/RID:	<b>ental hazards</b> no		IMDG Marine pollutant: no	IATA: no
14.6		recautions for us striction code		<b>r</b> (D/E)	
	Further in	formation	:	No data available	

## **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and artic (Annex XVII)	,	: Methanol benzene
<b>National legislation</b> Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards	H2	ACUTE TOXIC
involving dangerous substances.	P5c	FLAMMABLE LIQUIDS
	22	Methanol

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

## **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

#### Full text of H-Statements

H225 Highly flammable liquid and vapor.

Supelco- CRM48617

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 11 of 13

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs.

## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

## **Classification of the mixture**

#### **Classification procedure:** Flam. Liq.2 H225 Based on product data or assessment Acute Tox.3 H301 Calculation method Acute Tox.3 H331 Calculation method Acute Tox.3 H311 Calculation method STOT SE1 H370 Calculation method

Supelco- CRM48617

Page 12 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



## **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Supelco- CRM48617

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 13 of 13