

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.6 Revision Date 01.04.2023 Print Date 30.08.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Guanidine Thiocyanate- for molecular biology,

anhydrous, free-flowing, Redi-Dri™, >=99%

Product Number : RDD029
Brand : Sigma-Aldrich
Index-No. : 615-030-00-5

REACH No. : 01-2120735072-65-XXXX

CAS-No. : 593-84-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science S.A.S

80 Rue de Luzais

F-38297 SAINT QUENTIN FALLAVIER CEDEX

1.4 Emergency telephone

Emergency Phone # : +33 (0)9 75 18 14 07 (CHEMTREC)

+33 (0)1 45 42 59 59 (I.N.R.S.)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin corrosion (Sub-category 1C), H314 Serious eye damage (Category 1), H318

Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Sigma-Aldrich- RDD029 Page 1 of 12



Pictogram



Signal Word Danger

Hazard statement(s)

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

Do not breathe dusts or mists. P260 P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P312IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. P310

Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

Supplemental Hazard information (EU)

EUH032 Contact with acids liberates very toxic gas.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

Supplemental Hazard information (EU)

EUH032 Contact with acids liberates very toxic gas.

2.3 Other hazards

P310

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Sigma-Aldrich- RDD029 Page 2 of 12



SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Guanidinium thiocyanate

Formula : CH5N3.CHNS Molecular weight : 118,16 g/mol CAS-No. : 593-84-0 EC-No. : 209-812-1 Index-No. : 615-030-00-5

Component		Classification	Concentration
guanidinium, thiocyanate (1:1)			
CAS-No. EC-No. Index-No.	593-84-0 209-812-1 615-030-00-5	Acute Tox. 4; Skin Corr. 1C; Eye Dam. 1; Aquatic Chronic 3; H302, H332, H312, H314, H318, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma-Aldrich- RDD029 Page 3 of 12

A

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

5.2 Special hazards arising from the substance or mixture

Carbon oxides
Nitrogen oxides (NOx)
Sulfur oxides
Combustible.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Store in cool place. Never allow product to get in contact with water during storage. Do not store near acids.

Sigma-Aldrich- RDD029 Page 4 of 12



Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state solidb) Color white

Sigma-Aldrich- RDD029 Page 5 of 12



c) Odor odorless

Melting point: 118 °C d) Melting

Melting point/range: 120 °C point/freezing point

Initial boiling point

and boiling range

No data available

f) Flammability (solid,

gas)

The product is not flammable. - Flammability (solids)

g) Upper/lower flammability or explosive limits

No data available

h) Flash point No data available Autoignition does not ignite

temperature

Decomposition j) temperature

m) Water solubility

No data available

No data available k) pH

Viscosity Viscosity, kinematic: No data available I) Viscosity, dynamic: No data available

ca.636 g/l at 25 °C - OECD Test Guideline 105

n) Partition coefficient:

n-octanol/water

No data available

< 0,1 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 o) Vapor pressure

No data available p) Density

Relative density ca.1,29 at 25 °C - Regulation (EC) No. 440/2008, Annex, A.3

Relative vapor

density

r) Particle No data available

characteristics

s) Explosive properties No data available

Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with acids liberates very toxic gas.

10.2 Chemical stability

Stable under recommended storage conditions. Stable under recommended storage conditions.

Sigma-Aldrich- RDD029 Page 6 of 12



10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

10.4 Conditions to avoid

Contact with acids liberates very toxic gas.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 593 mg/kg

(OECD Test Guideline 401)

Symptoms: Possible damages:, Nausea, Vomiting

Acute toxicity estimate Inhalation - 1,6 mg/l - dust/mist

(Expert judgment)

Acute toxicity estimate Dermal - 1.100,1 mg/kg

(Expert judgment)

Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive after 1 to 4 hours of exposure - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster fibroblasts

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Sigma-Aldrich- RDD029 Page 7 of 12

A

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 90 Days - NOAEL (No observed adverse effect level) - 100 mg/kg

RTECS: XL1225000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption of large quantities:

Systemic effects:

ataxia (impaired locomotor coordination) Convulsions Coma

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Sigma-Aldrich- RDD029 Page 8 of 12

A

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Poecilia reticulata (guppy) - ca. 89,1 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 42,4 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 130

mg/l - 72 h (DIN 38412)

Toxicity to bacteria static test EC50 - activated sludge - > 185 mg/l - 28 h

Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability aerobic Dissolved organic carbon (DOC) - Exposure time 28 d

Result: 46 % - Inherently biodegradable.

(OECD Test Guideline 302B)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave

Sigma-Aldrich- RDD029 Page 9 of 12



chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1759 IMDG: 1759 IATA: 1759

14.2 UN proper shipping name

ADR/RID: CORROSIVE SOLID, N.O.S. (guanidinium, thiocyanate (1:1)) IMDG: CORROSIVE SOLID, N.O.S. (guanidinium, thiocyanate (1:1)) IATA: Corrosive solid, n.o.s. (guanidinium, thiocyanate (1:1))

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

H332

Full text of H-Statements referred to under sections 2 and 3.

Harmful in contact with skin.

EUH032	Contact with acids liberates very toxic gas.	
H302	Harmful if swallowed.	
H302 + H312 +	Harmful if swallowed, in contact with skin or if inhaled.	
H332		
H312	Harmful if swallowed, in contact with skin or if inhaled.	
H314	Causes severe skin burns and eye damage.	
H318	Harmful to aquatic life with long lasting effects.	

Sigma-Aldrich- RDD029 Page 10 of 12

M

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- RDD029 Page 11 of 12

A

Sigma-Aldrich- RDD029 Page 12 of 12

