

according to Regulation (EC) No. 1907/2006

Revision Date 13.08.2018

Version 1.1

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1A, H360D

Specific target organ toxicity - repeated exposure, Category 2, Central nervous system, Blood,

Immune system, Kidney, H373

Chronic aquatic toxicity, Category 3, H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H360D May damage the unborn child.

H373 May cause damage to organs (Central nervous system, Blood, Immune system, Kidney)

through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

Response

P314 Get medical advice/ attention if you feel unwell.

Restricted to professional users.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H360D May damage the unborn child.

H412 Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

Precautionary statements

P201 Obtain special instructions before use.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature

Mixture

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

lead(II) acetate trihydrate (>= 3 % - < 5 %)

The concentration stated or, in the absence of such concentrations, the generic concentrations set out in this Regulation are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.

6080-56-4 01-2119532202-56-

XXXX Reproductive toxicity, Category 1A, H360Df

Specific target organ toxicity - repeated exposure, Category 2,

H373

Acute aquatic toxicity, Category 1, H400 Chronic aquatic toxicity, Category 1, H410

M-Factor: 1

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The following applies to lead compounds in general: Due to the poor absorbability via the gastrointestinal tract, only very high doses lead to acute cases of intoxication. After a latency period of several hours, metallic taste, nausea, vomiting, and colics occur, in many instances followed by shock. Chronic uptake causes peripheral muscular weakness ("drop-wrist"), anaemia, and central-nervous disorders. Women of child-bearing age should not be exposed to the substance over longer periods of time (observe critical threshold).

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

metal fumes

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Protective equipment see section 8.

Advice for emergency responders:

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid particles of toxic and very toxic substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form solid

Colour coloured

Odour No strong odour known.

Odour Threshold No information available.

pH No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

Density No information available.

Relative density No information available.

Water solubility No information available.

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

Oxidizing properties none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion/exothermic reaction with:

bromates, salts, phenol, Strong acids

Violent reactions possible with:

strong oxidising agents, Strong bases

10.4 Conditions to avoid

Strong heating (decomposition).

10.5 Incompatible materials

Mild steel, Iron

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

This information is not available.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

CMR effects

Teratogenicity:

May harm the unborn child. Positive evidence from human epidemiological studies.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure.

Target Organs: Central nervous system, Blood, Kidney, Immune system

Aspiration hazard

This information is not available.

11.2 Further information

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

The following applies to lead compounds in general: Due to the poor absorbability via the gastrointestinal tract, only very high doses lead to acute cases of intoxication. After a latency period of several hours, metallic taste, nausea, vomiting, and colics occur, in many instances followed by shock. Chronic uptake causes peripheral muscular weakness ("drop-wrist"), anaemia, and central-nervous disorders. Women of child-bearing age should not be exposed to the substance over longer periods of time (observe critical threshold).

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Components

lead(II) acetate trihydrate

Acute oral toxicity
LD50 Rat: 4.665 mg/kg
OECD Test Guideline 401
(anhydrous substance)

Skin irritation

Rabbit

Result: No skin irritation
OECD Test Guideline 404

The value is given in analogy to the following substances: lead(II) acetate

Sensitisation

Local lymph node assay (LLNA) Mouse

Result: negative

Method: OECD Test Guideline 429

The value is given in analogy to the following substances: lead(II) acetate

Germ cell mutagenicity
Genotoxicity in vitro
Ames test
Escherichia coli

Result: negative

(anhydrous substance) (Lit.)

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

Components

lead(II) acetate trihydrate

M-Factor

1

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Sea transport (IMDG)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \geq 0.1 % (w/w).

National legislation

Storage class 6.1C

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H360D May damage the unborn child.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated

exposure.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.
 H412
 Harmful to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H360 May damage fertility or the unborn child.

H373 May cause damage to organs (Central nervous system, Blood, Immune system, Kidney) through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

Response

P314 Get medical advice/ attention if you feel unwell.

Further information

Restricted to professional users.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

according to Regulation (EC) No. 1907/2006

Catalogue No. 109511

Product name Lead(II)acetate paper roll length 4.8 m

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.