

Safety Data Sheet

according to Regulation (EC) No 1907/2006

22122-42 Ferric Ion Solution

Revision date: 22.04.2021

Product code: 2212242

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

22122-42 Ferric Ion Solution

UFI: 4YPM-REV6-D00D-SQHE

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Reproductive toxicity: Lact.

Specific target organ toxicity - repeated exposure: STOT RE 1

Hazard Statements:

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause harm to breast-fed children.

Causes damage to organs through prolonged or repeated exposure.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Ferric Perchlorate

perchloric acid 8 %

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

22122-42 Ferric Ion Solution

Revision date: 22.04.2021

Product code: 2212242

Page 2 of 10

Pictograms:



Hazard statements

- H314 Causes severe skin burns and eye damage.
H362 May cause harm to breast-fed children.
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

- P201 Obtain special instructions before use.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P263 Avoid contact during pregnancy and while nursing.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			80-90 %
	231-791-2			
13537-24-1	Ferric Perchlorate			5-10 %
	236-908-0			
	Ox. Sol. 2, Lact., Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 1; H272 H362 H315 H319 H335 H372			
7601-90-3	perchloric acid ... %			1-10 %
	231-512-4	017-006-00-4		
	Ox. Liq. 1, Skin Corr. 1A; H271 H314			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

22122-42 Ferric Ion Solution

Revision date: 22.04.2021

Product code: 2212242

Page 3 of 10

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
		Specific concentration limits and M-factors	
7601-90-3	231-512-4	perchloric acid ... %	1-10 % %
		Ox. Liq. 1; H271: >= 50 - 100 Ox. Liq. 2; H272: >= 0 - < 50 Skin Corr. 1A; H314: >= 50 - 100 Skin Corr. 1B; H314: >= 10 - < 50 Skin Irrit. 2; H315: >= 1 - < 10 Eye Irrit. 2; H319: >= 1 - < 10	

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Take off all contaminated clothing immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse immediately with plenty of water for at least 15 minutes. Call a physician immediately.

After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.
Never give anything by mouth to an unconscious person.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion
Stomach/intestinal disorders, Nausea, Vomiting, Diarrhoea, Dizziness

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water, Carbon dioxide (CO₂), Alcohol-resistant foam Dry powder,

5.2. Special hazards arising from the substance or mixture

The product itself does not burn. Heating may cause an explosion.
Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.
Do not breathe vapours, mist or gas.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

22122-42 Ferric Ion Solution

Revision date: 22.04.2021

Product code: 2212242

Page 4 of 10

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.
Avoid contact with skin and eyes.
Do not breathe vapours/dust.

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.
Keep at temperatures between 10 and 25 °C.
Protect against light.

Hints on joint storage

Protect against Bases, Oxidizing agents

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In case of full contact:

Glove material : Latex gloves

Safety Data Sheet

according to Regulation (EC) No 1907/2006

22122-42 Ferric Ion Solution

Revision date: 22.04.2021

Product code: 2212242

Page 5 of 10

Layer thickness: > 0,6 mm
Break through time: 480 min

In case of contact through splashing:
Glove material : Latex gloves
Layer thickness: > 0,6 mm
Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	light red
Odour:	odourless
pH-Value (at 20 °C):	< 1

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	100 °C
Sublimation point:	no data available
Softening point:	no data available
Pour point:	no data available
:	no data available
Flash point:	not applicable

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	no data available
Upper explosion limits:	no data available
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature:	no data available
----------------------------	-------------------

Oxidizing properties

The product has been shown not to be oxidising in a test following Directive 67/548/EEC (Method A17, oxidising properties).

Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,095 g/cm ³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

22122-42 Ferric Ion Solution

Revision date: 22.04.2021

Product code: 2212242

Page 6 of 10

Bulk density:	no data available
Water solubility: (at 20 °C)	soluble
Solubility in other solvents	
no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

9.2. Other information

Solid content:	no data available
----------------	-------------------

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents, Bases

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Decomposes on heating.

10.5. Incompatible materials

Organic materials

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No toxicology information is available.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause harm to breast-fed children. (Ferric Perchlorate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

22122-42 Ferric Ion Solution

Revision date: 22.04.2021

Product code: 2212242

Page 7 of 10

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (Ferric Perchlorate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

No data is available on the product itself.

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14: Transport information**Land transport (ADR/RID)**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

22122-42 Ferric Ion Solution

Revision date: 22.04.2021

Product code: 2212242

Page 8 of 10

14.1. UN number: UN 3264
14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Perchloric acid/ferric perchlorate solution)
14.3. Transport hazard class(es): 8
14.4. Packing group: II
Hazard label: 8



Classification code: C1
Special Provisions: 274
Limited quantity: 1 L
Transport category: 2
Hazard No: 80
Tunnel restriction code: E

Other applicable information (land transport)

Excepted Quantities: E2

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3264
14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 8
14.4. Packing group: II
Hazard label: 8



Marine pollutant: --
Special Provisions: 274
Limited quantity: 1 L
EmS: F-A, S-B

Other applicable information (marine transport)

Excepted Quantities: E2

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3264
14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 8
14.4. Packing group: II
Hazard label: 8



Special Provisions: A3 A803
Limited quantity Passenger: 0.5 L
IATA-packing instructions - Passenger: 851
IATA-max. quantity - Passenger: 1 L

Safety Data Sheet

according to Regulation (EC) No 1907/2006

22122-42 Ferric Ion Solution

Revision date: 22.04.2021

Product code: 2212242

Page 9 of 10

IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

Other applicable information (air transport)

Excepted Quantities: E2
Passenger-LQ: Y840

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number 3316, Package group II, EMS Code: F-A, S-P
These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
Entry 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision Date 22.04.2021
Safety datasheet sections which have been updated: 7, 9
Revision Date 16.09.2020
Safety datasheet sections which have been updated: 11
Revision: 05.09.2018
Safety datasheet sections which have been updated: 2, 15, 16
Revision: 06.05.2015
Safety datasheet sections which have been updated: 2, 4, 11
Revision: 09.07.2014
Safety datasheet sections which have been updated: 4-16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1A; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Lact.; H362	Calculation method
STOT RE 1; H372	Calculation method

Safety Data Sheet

according to Regulation (EC) No 1907/2006

22122-42 Ferric Ion Solution

Revision date: 22.04.2021

Product code: 2212242

Page 10 of 10

Relevant H and EUH statements (number and full text)

H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)