

# SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Issue Date 21-01-2005 Revision Date 14-Feb-2023 Version 2

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product Code(s) 2125851-EU

Product Name 2125851 COD/CSB/DCO

Unique Formula Identifier (UFI) H6F4-QFH8-A807-05D2

Molecular weight No data available

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory Reagent.

Uses advised against Consumer use

## 1.3. Details of the supplier of the safety data sheet

## Supplier

HACH UK
Laser House
Ground Floor, Suite B
Waterfront Quay, Salford Quays
GB - Manchester, M50 3XW
Tel. +44 (0) 161 872 1487
info-uk@hach.com

HACH Ireland Unit 34 GB Business Park Little Island IRL-Co. Cork T45 H681 Tel. +353 (0)146 02 522 info-ie@hach.com

## 1.4. Emergency telephone number

UK: Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

# **Section 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Corrosive to metals	Category 1 - (H290)
Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Dermal	Category 3 - (H311)

BE / EGHS Page 1/17

Skin corrosion/irritation	Category 1 Sub-category A - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity — repeated exposure	Category 2 - (H373)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

#### 2.2. Label elements

Contains Sulfuric acid 83%, Sulfuric acid, disilver(1+) salt



# Signal word

Danger

## **Hazard statements**

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects May produce an allergic reaction.

## Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing and eye/face protection

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## 2.3. Other hazards

No information available.

#### PBT & vPvE

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Not applicable

#### 3.2 Mixtures

BE / EGHS Page 2/17

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sulfuric acid	7664-93-9 (016-020-00-8) 231-639-5 016-020-00-8	80 - 90%	Skin Corr. 1A - H314	Eye Irrit. 2 :: 5%<=C<15% Skin Corr. 1A :: C>=15% Skin Irrit. 2 :: 5%<=C<15%	-	-
Sulfuric acid, mercury(2+) salt (1:1)	7783-35-9 (080-002-00-6) 231-992-5 080-002-00-6	<1%	Acute Tox. 2 - H300 Acute Tox. 1 - H310 Acute Tox. 2 - H330 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	STOT RE 2 :: C>=0.1%	-	-
Sulfuric acid, disilver(1+) salt	10294-26-5 233-653-7 -	<1%	Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	-	100	100

## Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Sulfuric acid, disilver(1+) salt 10294-26-5	> 5000 mg/kg	None reported	None reported	None reported	None reported
Chromium trioxide 1333-82-0	52 mg/kg	55 mg/kg	0.217 mg/L	None reported	None reported

# **Section 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

General advice Take off contaminated clothing and shoes immediately. Immediate medical attention is

required. Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. If breathing is difficult, (trained personnel should) give oxygen. Get

immediate medical attention.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

BE / EGHS Page 3/17

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Get immediate medical attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Coughing and/ or wheezing. Symptoms of overexposure are dizziness,

headache, tiredness, nausea, unconsciousness, cessation of breathing. Nausea or

vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

# Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

surrounding environment. Product itself does not burn.

**Unsuitable extinguishing media** No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapours.

Hazardous combustion products Sulphur oxides. chromium oxides. Mercury.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

**Additional information** Fire residues and contaminated fire extinguishing water must be disposed of in accordance

with local regulations.

# Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive

material. Keep people away from and upwind of spill/leak. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

BE / EGHS Page 4/17

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Place in appropriate chemical waste container.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# **Section 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

Do not eat, drink or smoke when using this product.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the

workplace. Take off all contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from light.

Protect from moisture. Keep out of the reach of children. Store away from other materials.

Store locked up.

7.3. Specific end use(s)

Specific use(s) Analytical reagent.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

# **Exposure Limits**

Chemical name	European Union	United Kingdom	Ireland
Sulfuric acid	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 ppm
7664-93-9	-	STEL: 0.15 mg/m <sup>3</sup>	STEL: 0.15 ppm
Sulfuric acid, mercury(2+) salt (1:1)	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>
7783-35-9		STEL: 0.06 mg/m <sup>3</sup>	STEL: 0.06 mg/m <sup>3</sup>
Sulfuric acid, disilver(1+) salt	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
10294-26-5	-	STEL: 0.03 mg/m <sup>3</sup>	STEL: 0.03 mg/m <sup>3</sup>
Chromium trioxide	TWA: 0.005 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup>
1333-82-0	TWA: 0.010 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
	TWA: 0.025 mg/m <sup>3</sup>	STEL: 0.03 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
	_	STEL: 0.065 mg/m <sup>3</sup>	STEL: 0.15 mg/m <sup>3</sup>
		Sen+	STEL: 0.03 mg/m <sup>3</sup>

BE / EGHS Page 5/17

	STEL: 0.075 mg/m <sup>3</sup>

Chemical name	European Union	United Kingdom	Ireland
Chromium trioxide	-	-	25 μg/L (urine - total
1333-82-0			Chromium end of shift at end
			of workweek)
			10 μg/L (urine - total
			Chromium increase during
			shift)

**Derived No Effect Level (DNEL)** 

No information available.

**Predicted No Effect Concentration** 

No information available.

(PNEC)

No information available. Additional information

8.2. Exposure controls

**Engineering controls** 

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

**Hand protection** 

Barrier creams may help to protect the exposed areas of skin. Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III acco.

	Gloves				
Duration of contact	PPE - Glove material	Glove thickness	Break through time		
Long term (repeated)	Wear protective Viton™ gloves	0,70 mm	>480 minutes		
Short term	Wear protective butyl rubber gloves	0,70 mm	>120 minutes		

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

Ensure adequate ventilation. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to

vapours/dusts/aerosols.

Recommended filter type:

ABEK-P3.

General hygiene considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Take off all contaminated clothing and wash it before reuse.

**Environmental exposure controls** 

Do not allow into any sewer, on the ground or into any body of water.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

BE / EGHS Page 6/17

## 9.1. Information on basic physical and chemical properties

Physical state Liquid

Colour Light orange colour Odourless

Odour threshold Not applicable

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight No data available

**pH** < 0.5

Melting point / freezing point 4 °C / 39.2 °F

Initial boiling point and boiling range ~ 300 °C / 572 °F

**Evaporation rate** 0.16 (water = 1)

**Vapour pressure** 1.8 mm Hg / 0.24 kPa at 25 °C / 77 °F

Relative vapor density 0.03

Specific Gravity 1.78

Partition coefficient Not applicable

**Soil Organic Carbon-Water Partition** 

Coefficient

Not applicable

Autoignition temperature No data available

**Decomposition temperature**No data available

**Dynamic viscosity**  $\sim 2.499 \text{ cP (mPa s)}$  at 20 °C / 68 °F

Kinematic viscosity ~ 1.404 cSt (mm²/s) at 20 °C / 68 °F

Relative density 1.78 g/mL @ 20 °C

# Solubility(ies)

## Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Completely soluble	> 10000 mg/L	25 °C / 77 °F

# Solubility in other solvents

Chemical Name_	Solubility classification_	<u>Solubility</u>	Solubility Temperature_
None reported	No information available	No data available	No information available

## **Metal Corrosivity**

Classified as corrosive to metal according to CLP criteria

Steel Corrosion Rate4.88 mm/yr / 0.19 in/yrAluminum Corrosion Rate55.4 mm/yr / 2.18 in/yr

**Explosive properties** 

Upper explosion limitNo data availableLower explosion limitNo data available

BE / EGHS Page 7/17

Flammable properties

Flash point No data available

**Flammability** 

Upper flammability limit:No data availableLower flammability limitNo data available

Oxidising properties No data available.

Bulk density No data available

9.2. Other information

No information available.

# **Section 10: STABILITY AND REACTIVITY**

10.1. Reactivity

Reactivity Reacts violently with water. Very reactive. Corrosive to metal.

10.2. Chemical stability

**Stability** Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

**Hazardous polymerisation**None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. To avoid thermal decomposition, do not

overheat. Temperatures above 572 °C / 3002 °F.

10.5. Incompatible materials

Incompatible materials Oxidising agent. Reducing agent. Bases. Organic material. Metals. Ammonia. Alkaline earth

metals. Nitric acid.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating and toxic gases and vapours.

# **Section 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

**Acute toxicity** 

Harmful if swallowed Toxic in contact with skin

Mixture No data available.

Substance Test data reported below.

BE / EGHS Page 8/17

#### **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid,	Rat	> 5000 mg/kg	None reported	None reported	Vendor SDS
disilver(1+) salt	LD <sub>50</sub>				
Chromic acid	Rat	80 mg/kg	None reported	None reported	RTECS
(H2Cr2O7)	LD <sub>50</sub>				

**Dermal Exposure Route:** 

Inhalation (Dust/Mist) Exposure Route:

Inhalation (Vapor) Exposure Route:

**Acute Toxicity Estimate (ATE)** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	637.40 mg/kg
ATEmix (dermal)	636.10 mg/kg
ATEmix (inhalation-dust/mist)	6.37 mg/l
ATEmix (inhalation-vapour)	63.74 mg/l

## Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity.

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

## Skin corrosion/irritation

Causes severe burns.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Sulfuric acid, disilver(1+) salt	Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Sulfuric acid, mercury(2+) salt (1:1)	Existing human experience	Human	None reported	None reported	Skin irritant	GESTIS

# Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture No data available.

Substance Test data reported below.

BE / EGHS Page 9/17

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB
Sulfuric acid, disilver(1+) salt	Draize Test	Rabbit	180 mg	None reported	Corrosive to eyes	ECHA
Sulfuric acid, mercury(2+) salt (1:1)	Existing human experience	Human	None reported	None reported	Eye irritant	GESTIS

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

# **Skin Sensitization Exposure Route:**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sulfuric acid,	in vivo Assay	Guinea pig	No sensitisation responses were	ECHA
disilver(1+) salt			observed.	

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

# Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human TD∟₀	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration	RTECS
				Dyspnea	

# STOT - repeated exposure

May cause damage to organs.

Mixture No data available.

Substance Test data reported below.

# **Oral Exposure Route:**

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sulfuric acid,	Rat	> 2000 mg/kg	14 days	No toxicological effects	ECHA
disilver(1+) salt	LD			observed	

# **Inhalation (Vapor) Exposure Route:**

	Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
ŀ	Sulfuric acid				Museuleskeletel	RTECS
-	Sullulic acid	Human	0.003 mg/L	168 days	Musculoskeletal	
-		TCLo		Changes in teeth and supporting		
1					structures	

BE / EGHS Page 10/17

# Germ cell mutagenicity

Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic

Chemical name	European Union		
Chromium trioxide	Muta. 1B		

Mixture invitro **Data**No data available.

Substance invitro **Data**Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Sulfuric acid, disilver(1+) salt	Mutation in mammalian somatic cells	Human lymphocyte	.08 mg/L	3 hours	Negative	ECHA

Mixture invivo **Data** No data available.

Substance invivo **Data** No data available.

# Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union		
Chromium trioxide	Carc. 1A		
	Carc, 1B		

Mixture No data available.

Substance No data available.

## **Reproductive toxicity**

Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union		
Chromium trioxide	Repr. 2		

Mixture No data available.

Substance Test data reported below.

# Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Rabbit TC∟₀	0.02 mg/L	7 hours	Specific Developmental Abnormalities	No information available
				Musculoskeletal system	

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

BE / EGHS Page 11/17

#### 11.2 Information on other hazards

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

# **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

**Mixture** 

Acute aquatic toxicity: No data available.

Aquatic Chronic Toxicity: No data available.

**Substance** 

Acute aquatic toxicity: Test data reported below.

Fish:

Chemical name	Exposure	Species	Endpoint type	Reported dose	Key literature references and
	time				sources for data
Sulfuric acid, disilver(1+) salt	96 hours	Pimephales promelas	LC50	0.0012 mg/L	GESTIS
Chromic acid (H2Cr2O7)	96 hours	None reported	LC50	0.0031 mg/L	CEPA

#### Crustacea:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	48 Hours	Ceriodaphnia dubia	LC <sub>50</sub>	0.0045 mg/L	GESTIS

Aquatic Chronic Toxicity: No data available.

12.2. Persistence and degradability

**Mixture** No data available.

12.3. Bioaccumulative potential

Mixture: No data available.

Partition coefficient Not applicable

12.4. Mobility in soil

Soil Organic Carbon-Water Partition Not applicable

Coefficient

# 12.5. Results of PBT and vPvB assessment

BE / EGHS Page 12/17

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment	
Sulfuric acid	The substance is not PBT / vPvB	
Sulfuric acid, disilver(1+) salt	PBT assessment does not apply	
Chromium trioxide	The substance is not PBT / vPvB	

## 12.6. Endocrine disrupting properties

Endocrine Disruptor Information: This product does not contain any known or suspected endocrine disruptors

#### 12.7. Other adverse effects

No information available.

Ozone: Not applicable

Ozone depletion potential (ODP): No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

#### **Advice on Disposal**

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Our local agencies will accept used cuvettes to ensure their

proper disposal.

# Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

#### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous

substances, including mixtures of laboratory chemicals; hazardous waste.

**Contaminated packaging** Dispose of contents/containers in accordance with local regulations.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

# **Section 14: TRANSPORT INFORMATION**

# <u>IMDG</u>

14.1 UN number or ID number UN3316
14.2 Proper shipping name CHEMICAL KIT

14.3 Transport hazard class(es) 9

14.4 Packing Group Not regulated

**Description** UN3316, CHEMICAL KIT (Sulfuric acid, disilver(1+) salt), 9, Marine pollutant

**14.5 Marine pollutant** Not applicable

**Environmental hazards** Yes **14.6 Special precautions for user** 251, 340

BE / EGHS Page 13/17

EmS-No F-A, S-P

14.7. Transport in bulk according to Not applicable

Annex II of MARPOL and the IBC

Code

<u>ADR</u>

14.1 UN number or ID number 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Transport hazard class(es) 9 Labels 9

14.4 Packing Group Not regulated

**Description** 3316, CHEMICAL KIT, 9, Environmentally Hazardous

14.5 Environmental hazards Yes

**14.6 Special precautions for user** 251, 340, 671

Classification code M11 Tunnel restriction code (E)

IATA

14.1 UN number or ID number UN3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Transport hazard class(es) 9

**14.4 Packing group** Not regulated

**Description** UN3316, CHEMICAL KIT, 9

14.5 Environmental hazards Yes

**14.6 Special precautions for user** See section 6-8 for more information

ERG Code 9L

**Additional information** 

# **Section 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# National regulations

# **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

## Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Sulfuric acid - 7664-93-9	75.	
Sulfuric acid, mercury(2+) salt (1:1) - 7783-35-9	18.	
	75.	
Chromium trioxide - 1333-82-0	72.	16.
	28.	
	29.	
	75.	
	47.	

Persistent Organic Pollutants Not applicable

BE / EGHS Page 14/17

#### **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

	Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex	
		Number	
Ì	Sulfuric acid, mercury(2+) salt (1:1) - 7783-35-9	I.1	
		I.3	
		V	

## Dangerous substance category per Seveso Directive (2012/18/EU)

• E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## Germany

Water hazard class (WGK) strongly hazardous to water (WGK 3)

#### **France**

# Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Sulfuric acid	RG 5,RG 14,RG 15,RG	-
7664-93-9	15bis,RG 20bis	
	RG 14,RG 20bis,RG 65	
Sulfuric acid, mercury(2+) salt (1:1)	RG 2	-
7783-35-9		
Chromium trioxide	RG 10,RG 10bis,RG 10ter	-
1333-82-0	RG 10	

# **International Inventories**

**EINECS/ELINCS** Complies Complies **TSCA DSL/NDSL** Complies **ENCS** Complies **IECSC** Complies **KECL - Existing substances** Complies Complies **PICCS AICS** Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

BE / EGHS Page 15/17

## 15.2. Chemical safety assessment

Chemical Safety Report Chemical safety assessments for substances in this mixture were not carried out.

# **Section 16: OTHER INFORMATION**

 Issue Date
 21-01-2005

 Revision Date
 14-Feb-2023

**Revision Note** New SDS, SDS sections updated, 3, 9, 11, 12.

## Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

\*\* Hazard Designation

ADN Accord européen relatif au transport international des marchandises dangereuses par voies

de navigation intérieure

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate

CAS Chemical Abstracts Service Number

Ceiling Maximum limit value

CLP Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No.

1272/2008]

DNEL Derived No Effect Level (DNEL)

EC European Community

ECHA (The European Chemicals Agency)
EC50 Effective Concentration to 50% of a test population

EEC European Economic Community

EN European Standard

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

IATA-DGR International Air Transport Association - Dangerous Goods Regulations

ICAO International Civil Aviation Organization

ICAO-TI International Civil Aviation Organization - Technical Instructions
IUCLID IUCLID (The International Uniform Chemical Information Database)
GHS Globally Harmonized System of Classification and Labelling of Chemicals

LOAEL Lowest observed adverse effect level

LOAEC Lowest observed adverse effect concentration LC50 Lethal Concentration to 50% of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
LOLI LOST (List of Lists - An International Chemical Regulatory Database)

MAK Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit

value, which relates to safe daily exposure levels to chemical substances

NOAEL NOAEL (No observed adverse effect level)
NOAEC No observed adverse effect concentration

OSHA Occupational Safety and Health Administration of the US Department of Labour)

PEC Predicted Effect Concentration

PNEC Predicted No Effect Concentration (PNEC)

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No.

1907/2006])

RID Règlement international concernant le transport des marchandises dangereuses par chemin

de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

RTECS RTECS (Registry of Toxic Effects of Chemical Substances)

TWA TWA (time-weighted average)

SKN\* Skin designation
SKN+ Skin sensitisation

BE / EGHS Page 16/17

STEL STEL (Short Term Exposure Limit)
STOT Specific Target Organ Toxicity

STOT RE Specific target organ toxicity — repeated exposure STOT SE Specific target organ toxicity — single exposure

SVHC Substances of Very High Concern

TLV Threshold Limit Value

TRGS Technical rules for hazardous substances, Germany

TSCA Toxic Substances Control Act

UN United Nations

vPvB very persistent and very bioaccumulative

VOC Volatile organic compounds

AwSV Administrative regulation of water polluting substances, Germany

## Key literature references and sources for data

See Section 11: TOXICOLOGICAL INFORMATION See Section 12: ECOLOGICAL INFORMATION

## Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Carcinogenicity	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

#### Full text of H-Statements referred to under section 3

H300 - Fatal if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H290 - May be corrosive to metals

Training Advice Take note of Directive 98/24/EC on the protection of the health and safety of workers from

the risks related to chemical agents at work

**Restrictions on use** For Laboratory Use Only.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

**End of Safety Data Sheet** 

BE / EGHS Page 17/17