



Be Right™

# SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Issue Date 24-01-2005

Revision Date 14-Feb-2023

Version 2

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Code(s)** 2415951-EU  
**Product Name** 2415951 CSB/COD/DCO  
**Unique Formula Identifier (UFI)** 1CCH-3FG8-C807-E33G  
**Molecular weight** Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory Use. Analytical reagent.  
**Uses advised against** Consumer use

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

HACH UK  
Laser House  
Ground Floor, Suite B  
Waterfront Quay, Salford Quays  
GB - Manchester, M50 3XW  
Tel. +44 (0) 161 872 1487  
info-uk@hach.com

HACH Ireland  
Unit 34 GB Business Park  
Little Island  
IRL-Co. Cork  
T45 H681  
Tel. +353 (0)146 02 522  
info-ie@hach.com

### 1.4. Emergency telephone number

UK: Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service  
IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

## Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

<b>Corrosive to metals</b>	Category 1 - (H290)
<b>Acute toxicity - Oral</b>	Category 4 - (H302)
<b>Acute toxicity - Dermal</b>	Category 3 - (H311)

<b>Skin corrosion/irritation</b>	Category 1 Sub-category A - (H314)
<b>Serious eye damage/eye irritation</b>	Category 1 - (H318)
<b>Germ cell mutagenicity</b>	Category 1B - (H340)
<b>Carcinogenicity</b>	Category 1A - (H350)
<b>Specific target organ toxicity — repeated exposure</b>	Category 2 - (H373)
<b>Acute aquatic toxicity</b>	Category 1 - (H400)
<b>Chronic aquatic toxicity</b>	Category 1 - (H410)

## 2.2. Label elements

Contains Sulfuric acid, Sulfuric acid, mercury(2+) salt (1:1), Sulfuric acid, disilver(1+) salt, Chromium trioxide



### Signal word

Danger

### Hazard statements

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H340 - May cause genetic defects

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

EUH208 - Contains Chromium trioxide May produce an allergic reaction.

### Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

### Special labelling of certain mixtures

Restricted to professional users

## 2.3. Other hazards

No information available.

### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

**3.2 Mixtures**

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sulfuric acid	7664-93-9 (016-020-00-8) 231-639-5 016-020-00-8	60 - 70%	Skin Corr. 1A - H314	Eye Irrit. 2 :: 5%≤C<15% Skin Corr. 1A :: C≥15% Skin Irrit. 2 :: 5%≤C<15%	-	-
Sulfuric acid, mercury(2+) salt (1:1)	7783-35-9 (080-002-00-6) 231-992-5 080-002-00-6	<1%	Acute Tox. 2 - H300 Acute Tox. 1 - H310 Acute Tox. 2 - H330 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	STOT RE 2 :: C≥0.1%	-	-
Sulfuric acid, disilver(1+) salt	10294-26-5 233-653-7 -	<1%	Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	-	100	100
Chromium trioxide	1333-82-0 215-607-8 024-001-00-0 024-017-00-8	<1%	Ox. Sol. 1 - H271 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Skin Corr. 1A - H314 Skin Sens. 1 - H317 Eye Dam. 1 - H318 Acute Tox. 2 - H330 Resp. Sens. 1 - H334 Muta. 1B - H340 Carc. 1A - H350 Repr. 2 - H361f STOT RE 1 - H372 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	STOT SE 3 :: C≥1%	-	-

**Full text of H- and EUH-phrases: see section 16**Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE<sub>mix</sub>) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Sulfuric acid, disilver(1+) salt	> 5000 mg/kg	None reported	None reported	None reported	None reported

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
10294-26-5 Chromium trioxide 1333-82-0	52 mg/kg	55 mg/kg	0.217 mg/L	None reported	None reported

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No	SVHC candidates
Chromium trioxide	1333-82-0	X

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General advice</b>	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical attention. Remove to fresh air.
<b>Eye contact</b>	Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
<b>Ingestion</b>	Get immediate medical attention. Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Burning sensation.
-----------------	--------------------

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	Treat symptomatically.
------------------------	------------------------

## Section 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Product itself does not burn.
<b>Unsuitable extinguishing media</b>	No information available.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.
<b>Hazardous combustion products</b>	Sulphur oxides. chromium oxides. Mercury.

### 5.3. Advice for firefighters

<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
<b>Additional information</b>	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Attention! Corrosive material. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
----------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### 6.3. Methods and material for containment and cleaning up

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

<b>Reference to other sections</b>	See section 8 for more information. See section 13 for more information.
------------------------------------	--------------------------------------------------------------------------

## **Section 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

<b>Advice on safe handling</b>	In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Avoid contact with skin, eyes or clothing. Handle in accordance with good industrial hygiene and safety practice.
<b>General hygiene considerations</b>	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Protect from moisture. Store away from other materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up. Accessible only for authorized persons.

**7.3. Specific end use(s)**

**Specific use(s)** Analytical reagent.  
**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters****Exposure Limits**

Chemical name	European Union	United Kingdom	Ireland
Sulfuric acid 7664-93-9	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup>	TWA: 0.05 ppm STEL: 0.15 ppm
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup> STEL: 0.06 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup> STEL: 0.06 mg/m <sup>3</sup>
Sulfuric acid, disilver(1+) salt 10294-26-5	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup>
Chromium trioxide 1333-82-0	TWA: 0.005 mg/m <sup>3</sup> TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup> STEL: 0.065 mg/m <sup>3</sup> Sen+	TWA: 0.005 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup> STEL: 0.075 mg/m <sup>3</sup>

**Biological occupational exposure limits**

Chemical name	European Union	United Kingdom	Ireland
Chromium trioxide 1333-82-0	-	-	25 µg/L (urine - total Chromium end of shift at end of workweek) 10 µg/L (urine - total Chromium increase during shift)

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

**Additional information** No information available.

**8.2. Exposure controls**

**Engineering controls** Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Personal protective equipment**  
**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection**

Barrier creams may help to protect the exposed areas of skin. Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III acco.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Wear protective Viton™ gloves	0,70 mm	>480 minutes
Short term	Wear protective nitrile rubber gloves	0,40 mm	>30 minutes

**Skin and body protection**

Long sleeved clothing. Wear suitable protective clothing.

**Respiratory protection**

Ensure adequate ventilation. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**Recommended filter type:**

ABEK-P3.

**General hygiene considerations**

Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

**Environmental exposure controls**

Do not allow into any sewer, on the ground or into any body of water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1. Information on basic physical and chemical properties**

**Physical state** Liquid

**Colour** Light orange colour

**Odour** Odourless

**Odour threshold** Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Molecular weight</b>	Not applicable	
<b>pH</b>	< 0.5	@ 20 °C
<b>Melting point / freezing point</b>	No data available	
<b>Initial boiling point and boiling range</b>	~ 300 °C / 572 °F	
<b>Evaporation rate</b>	No data available	
<b>Vapour pressure</b>	No data available	
<b>Relative vapor density</b>	No data available	
<b>Specific Gravity</b>	1.55	
<b>Partition coefficient</b>	Not applicable	

<b>Soil Organic Carbon-Water Partition Coefficient</b>	Not applicable	
<b>Autoignition temperature</b>	No data available	
<b>Decomposition temperature</b>	No data available	
<b>Dynamic viscosity</b>	No data available	
<b>Kinematic viscosity</b>	No data available	
<b>Relative density</b>	1.55 g/mL	@ 20 °C

**Solubility(ies)****Water solubility**

Water solubility classification	Water solubility	Water Solubility Temperature
Completely soluble	> 10000 mg/L	25 °C / 77 °F

**Solubility in other solvents**

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

**Metal Corrosivity**

Classified as corrosive to metal according to CLP criteria

**Steel Corrosion Rate****Aluminum Corrosion Rate****Explosive properties**

<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available

**Flammable properties**

<b>Flash point</b>	No data available
--------------------	-------------------

**Flammability**

<b>Upper flammability limit:</b>	No data available
<b>Lower flammability limit</b>	No data available

**Oxidising properties**

No data available.

**Bulk density**

No data available

**9.2. Other information**

No information available.

<b>Section 10: STABILITY AND REACTIVITY</b>
---------------------------------------------

**10.1. Reactivity**

<b>Reactivity</b>	Corrosive to metal.
-------------------	---------------------

**10.2. Chemical stability**

<b>Stability</b>	Stable under normal conditions.
------------------	---------------------------------



**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

**Hazardous polymerisation** Hazardous polymerisation does not occur.

**10.4. Conditions to avoid**

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

**10.5. Incompatible materials**

**Incompatible materials** Acids. Bases. Oxidising agent.

**10.6. Hazardous decomposition products**

**Hazardous Decomposition Products** Thermal decomposition can lead to release of irritating and toxic gases and vapours.

**Section 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects****Acute toxicity**

Harmful if swallowed

Toxic in contact with skin

Mixture No data available.

Substance Test data reported below.

**Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	Rat LD <sub>50</sub>	> 5000 mg/kg	None reported	None reported	Vendor SDS
Chromium trioxide	Rat LD <sub>50</sub>	52 mg/kg	None reported	None reported	ERMA

**Dermal Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chromium trioxide	Rat LD <sub>50</sub>	55 mg/kg	None reported	None reported	ERMA

**Inhalation (Dust/Mist) Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chromium trioxide	Rat LC <sub>50</sub>	0.217 mg/L	4 hours	None reported	ERMA

**Inhalation (Vapor) Exposure Route:****Acute Toxicity Estimate (ATE)**

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	827.90 mg/kg
<b>ATEmix (dermal)</b>	853.20 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	7.860 mg/l
<b>ATEmix (inhalation-vapour)</b>	86.082 mg/l

**Unknown acute toxicity**

0.001 % of the mixture consists of ingredient(s) of unknown toxicity.

0.001 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0.001 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

**Skin corrosion/irritation**

Causes severe burns.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Sulfuric acid, mercury(2+) salt (1:1)	Existing human experience	Human	None reported	None reported	Skin irritant	GESTIS
Sulfuric acid, disilver(1+) salt	Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Chromium trioxide	United States Department of Transportation (DOT) Skin Corrosion Test	Rabbit	500 mg	30 minutes	Corrosive to skin	ECHA

**Serious eye damage/eye irritation**

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB
Sulfuric acid, mercury(2+) salt (1:1)	Existing human experience	Human	None reported	None reported	Eye irritant	GESTIS
Sulfuric acid, disilver(1+) salt	Draize Test	Rabbit	180 mg	None reported	Corrosive to eyes	ECHA
Chromium trioxide	Draize Test	Rabbit	50 mg	7 days	Corrosive to eyes	ECHA

**Respiratory or skin sensitisation**

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

**Skin Sensitization Exposure Route:**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	<i>in vivo</i> Assay	Guinea pig	No sensitisation responses were observed.	ECHA

**STOT - single exposure**

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

**Inhalation (Vapor) Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human TD <sub>Lo</sub>	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS

**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

Mixture No data available.

Substance Test data reported below.

**Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	Rat LD	> 2000 mg/kg	14 days	No toxicological effects observed	ECHA

**Inhalation (Vapor) Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human TC <sub>Lo</sub>	0.003 mg/L	168 days	Musculoskeletal Changes in teeth and supporting structures	RTECS

**Germ cell mutagenicity**

Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic

Chemical name	European Union
Chromium trioxide	Muta. 1B

Mixture invitro **Data** No data available.

Substance invitro **Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available

Sulfuric acid, disilver(1+) salt	Mutation in mammalian somatic cells	Human lymphocyte	.08 mg/L	3 hours	Negative	ECHA
Chromium trioxide	Morphological transformation	Human fibroblast	100 nmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture **invivo Data** No data available.

Substance **invivo Data** No data available.

### **Carcinogenicity**

Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Chromium trioxide	Carc. 1A Carc. 1B

Mixture No data available.

Substance No data available.

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Chromium trioxide	Repr. 2

Mixture No data available.

Substance Test data reported below.

### **Inhalation (Vapor) Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Rabbit TC <sub>Lo</sub>	0.02 mg/L	7 hours	<b>Specific Developmental Abnormalities</b> Musculoskeletal system	No information available

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **11.2 Information on other hazards**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

#### **11.2.1. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

#### **11.2.2. Other information**

**Other adverse effects** No information available.

## **Section 12: ECOLOGICAL INFORMATION**

### **12.1. Toxicity**

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

**Unknown aquatic toxicity** Contains 0.001 % of components with unknown hazards to the aquatic environment.

**Mixture**

**Acute aquatic toxicity:** No data available.

**Aquatic Chronic Toxicity:** No data available.

**Substance**

**Acute aquatic toxicity:** Test data reported below.

Fish:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	96 hours	<i>Pimephales promelas</i>	LC <sub>50</sub>	0.0012 mg/L	GESTIS
Chromium trioxide	96 hours	<i>Tilapia mossambica</i>	LC <sub>50</sub>	21.05 mg/L	GESTIS

Crustacea:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	48 Hours	<i>Ceriodaphnia dubia</i>	LC <sub>50</sub>	0.0045 mg/L	GESTIS
Chromium trioxide	48 Hours	<i>Daphnia magna</i>	EC <sub>50</sub>	0.162 mg/L	GESTIS

**Aquatic Chronic Toxicity:** No data available.

**12.2. Persistence and degradability**

**Mixture** No data available.

**12.3. Bioaccumulative potential**

**Mixture:** No data available.

Partition coefficient Not applicable

**12.4. Mobility in soil**

Soil Organic Carbon-Water Partition Coefficient Not applicable

**12.5. Results of PBT and vPvB assessment**

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Sulfuric acid	The substance is not PBT / vPvB
Sulfuric acid, disilver(1+) salt	PBT assessment does not apply
Chromium trioxide	The substance is not PBT / vPvB

**12.6. Endocrine disrupting properties**

Endocrine Disruptor Information: This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**

No information available.

Ozone: Not applicable  
 Ozone depletion potential (ODP): No information available

### Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

##### Advice on Disposal

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Our local agencies will accept used cuvettes to ensure their proper disposal.

##### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

##### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

**Contaminated packaging** Dispose of contents/containers in accordance with local regulations.

**Other Information** Waste codes should be assigned by the user based on the application for which the product was used.

### Section 14: TRANSPORT INFORMATION

#### IMDG

14.1 UN number or ID number UN3316  
 14.2 Proper shipping name CHEMICAL KIT  
 14.3 Transport hazard class(es) 9  
 14.4 Packing Group Not regulated  
 Description UN3316, CHEMICAL KIT (Sulfuric acid, disilver(1+) salt), 9, Marine pollutant  
 14.5 Marine pollutant This material meets the definition of a marine pollutant  
 Environmental hazards Yes  
 14.6 Special precautions for user 251, 340  
 EmS-No F-A, S-P  
 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### ADR

14.1 UN number or ID number 3316  
 14.2 Proper shipping name CHEMICAL KIT  
 14.3 Transport hazard class(es) 9  
 Labels 9  
 14.4 Packing Group II  
 Description 3316, CHEMICAL KIT, 9, II, Environmentally Hazardous  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user 251, 340  
 Classification code M11  
 Tunnel restriction code (E)

**IATA**

14.1 UN number or ID number	UN3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Transport hazard class(es)	9
14.4 Packing group	Not regulated
Description	UN3316, CHEMICAL KIT, 9
14.5 Environmental hazards	Yes
14.6 Special precautions for user	See section 6-8 for more information
ERG Code	9L

**Additional information****Section 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

**Authorisations and/or restrictions on use:**

This product contains one or more substance(s) subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Sulfuric acid - 7664-93-9	75.	
Sulfuric acid, mercury(2+) salt (1:1) - 7783-35-9	18. 75.	
Chromium trioxide - 1333-82-0	72. 28. 29. 75. 47.	16.

**Persistent Organic Pollutants** Not applicable

**Export Notification requirements** This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Sulfuric acid, mercury(2+) salt (1:1) - 7783-35-9	I.1 I.3 V

**Dangerous substance category per Seveso Directive (2012/18/EU)**

- E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**Germany****Water hazard class (WGK)** strongly hazardous to water (WGK 3)**France****Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number	Title
Sulfuric acid 7664-93-9	RG 5, RG 14, RG 15, RG 15bis, RG 20bis RG 14, RG 20bis, RG 65	-
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	RG 2	-
Chromium trioxide 1333-82-0	RG 10, RG 10bis, RG 10ter RG 10	-

**International Inventories**

<b>EINECS/ELINCS</b>	Complies
<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL - Existing substances</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**15.2. Chemical safety assessment****Chemical Safety Report** Chemical safety assessments for substances in this mixture were not carried out.**Section 16: OTHER INFORMATION**

<b>Issue Date</b>	24-01-2005
<b>Revision Date</b>	14-Feb-2023
<b>Revision Note</b>	New SDS, SDS sections updated, 3, 9, 11, 12.



**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend**

**	Hazard Designation
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieure
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service Number
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No. 1272/2008]
DNEL	Derived No Effect Level (DNEL)
EC	European Community
ECHA	ECHA (The European Chemicals Agency)
EC50	Effective Concentration to 50% of a test population
EEC	European Economic Community
EN	European Standard
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
IATA-DGR	International Air Transport Association - Dangerous Goods Regulations
ICAO	International Civil Aviation Organization
ICAO-TI	International Civil Aviation Organization - Technical Instructions
IUCLID	IUCLID (The International Uniform Chemical Information Database)
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
LOAEL	Lowest observed adverse effect level
LOAEC	Lowest observed adverse effect concentration
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
MAK	Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit value, which relates to safe daily exposure levels to chemical substances
NOAEL	NOAEL (No observed adverse effect level)
NOAEC	No observed adverse effect concentration
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labour)
PEC	Predicted Effect Concentration
PNEC	Predicted No Effect Concentration (PNEC)
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No. 1907/2006]
RID	Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
TWA	TWA (time-weighted average)
SKN*	Skin designation
SKN+	Skin sensitisation
STEL	STEL (Short Term Exposure Limit)
STOT	Specific Target Organ Toxicity
STOT RE	Specific target organ toxicity — repeated exposure
STOT SE	Specific target organ toxicity — single exposure
SVHC	Substances of Very High Concern
TLV	Threshold Limit Value
TRGS	Technical rules for hazardous substances, Germany
TSCA	Toxic Substances Control Act
UN	United Nations
vPvB	very persistent and very bioaccumulative
VOC	Volatile organic compounds
AwSV	Administrative regulation of water polluting substances, Germany

**Key literature references and sources for data**

See Section 11: TOXICOLOGICAL INFORMATION

See Section 12: ECOLOGICAL INFORMATION

**Classification procedure**

<b>Classification according to Regulation (EC) No. 1272/2008 [CLP]</b>	<b>Method Used</b>
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

**Full text of H-Statements referred to under section 3**

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H290 - May be corrosive to metals

**Training Advice**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

**Restrictions on use**

For Laboratory Use Only.

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006****End of Safety Data Sheet**