





Trinocular stereozoom microscope head, 6.7x...45x

| Observation Method - Transmitted Light | Brightfield | As optional |
|---|------------------------------------|-----------------------------------|
| | Darkfield | As optional |
| | Simple polarized light | As optional |
| | | |
| Observation Method - Incident Light | Brightfield | Yes |
| | Simple polarized light | As optional |
| | | |
| Head | Туре | Trinocular |
| | Construction material | Plastic mold / Aluminum gears |
| | Split ratio | Fixed. 50 (eyepiece) / 50 (photo) |
| | Inclination | 45° |
| | 360° rotating | Yes |
| | Interpupillary distance (mm) | 51-75 |
| | Fixing screw for eyepieces | Yes |
| | Head holder internal diameter (mm) | 76 |
| | Tube inner diameter (mm) | 30 |
| | | |
| Eyepieces | Field number (mm) | 22 |
| | Magnification | 10x |
| | Micrometric scale | As optional |
| | Diameter of micrometer glass (mm) | 26 |
| | High eyepoint (for glass wearers) | Yes |
| | Dioptric adjustment | Yes |
| | Rubber cup | Yes |
| | | I |
| Objective | Optical system | Greenough |
| | Anti-fungus treatment | Yes |
| | Zoom type | Parfocal achromatic |
| | Working distance (mm) | 100 |
| | Standard magnifications | 6.7x-45x |
| | Zoom ratio | 6.72 |
| | | L |
| Accessories Included | Dust cover | Yes |
| | User Manual | Digital version (downloadable) |
| | | |
| Product Dimensions | Head height (mm) | 235 |
| | Head width (mm) | 180 |
| | Head depth (mm) | 195 |
| | | |
| Product Weight | (kg) | 1.6 |
| Ū | , | |



v 1.0 2019



Coarse focusing system

| Focusing System | Туре | Coarse |
|----------------------|------------------------------------|--------------------------------|
| | Coarse total travel (mm) | 50 |
| | Adjustable tension | Yes |
| | Head holder internal diameter (mm) | 76 |
| | | |
| Accessories Included | User Manual | Digital version (downloadable) |
| | | |
| Product Dimensions | Total height (mm) | 100 |
| | Total width (mm) | 150 |
| | Total depth (mm) | 250 |
| | | |
| Product Weight | (kg) | 1 |





Simple stand, pillar type

| Observation Method - | Brightfield | As optional |
|-----------------------------|--|--------------------------------|
| Incident Light | Simple polarized light | As optional |
| | | |
| Stand | Туре | Pillar |
| | Pillar diameter (mm) | 32 |
| | | |
| Stage | Black/white contrast plate for incident ill. | Yes, diameter 95 mm |
| | Specimen clips | Yes |
| | | |
| Accessories Included | Dust cover | Yes |
| | User Manual | Digital version (downloadable) |
| | | |
| Product Dimensions | Total height (mm) | 275 |
| | Base height (mm) | 25 |
| | Base width (mm) | 210 |
| | Base depth (mm) | 270 |
| | | |
| Product Weight | (kg) | 1.4 |



Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





