

Technical Data Sheet

Doc No – Ab/TDS/CT-12

Rev No :00 Date 05/2024-25

TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

Large Capacity Centrifuge Tubes, PP/HDPE

Valid For Cat. No. P10499, P10500

SRN (Single Registration Number): IN-MF-000022272

1. Description/Specification

1.1 Description:

Disposable PP/HDPE centrifuge tube, DNase, RNase, Human DNA, ATP & Pyrogen Free, CE & IVD certified

1.2 Design:

1.2.1 Tube: Cylindrical Upper and conical Bottom

1.2.2 Tube Cap: Separate Threaded HDPE Cap

1.3 Performance Specifications:

Code	Capacity (ml)	Height (mm)	Sterile	Colour	No./Case
P10499	250	161	YES	Blue	100
P10500	500	146.8	YES	Blue	40

1.4 Material:

1.4.1 Tube - Polypropylene (PP) & Cap- High Density Polyethylene (HDPE) confirm US FDA 21CFR

1.4.2 Complies with the requirement of European Pharmacopoeia, Plastic Containers and closures for pharmaceutical use.

1.4.3 The product has passed the USP test including class VI tests. Materials has successfully passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.

1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations 1935/2004/CE, 2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water

1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore, BSE/TSE issue does not concern this product to the best of our knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.



Distribué par **Humeau**

Z.A. Hauts de Couëron - 11 rue des Imprimeurs

CS 24220 - 44220 Couëron - France

t. : +33 (0)2 40 93 53 53

info@humeau.com - www.humeau.com

Technical Data Sheet

1.5 Color:

Tube color- Translucent (Natural)

Cap color- Blue

1.6 Graduation and writing surface:

1.6.1 Large Engraved Graduation

1.6.2 Abdos 250ml and 500ml centrifuge tubes are designed to process large volumes of samples simultaneously. With their high capacity and reliable performance, these tubes are ideal for the separation and harvesting of different type of cells, like bacteria, yeast, and tissue samples as well.

1.7 Sterilization:

Sterile catalog number from this lot have been pre-sterilized and dosimetrically released based on ANSI/AAMI/ISO 11137 *Sterilization of healthcare products-Requirements for validation and routine control- Radiation sterilization*. The product has been sterilized with Co-60 Gamma Radiation. SAL 10^{-6}

1.8 Quality control:

Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release.

1.9 Other information

Recommended for single use only

2. Basic Features

2.1 Temperature range: Tube:-80°C to +121°C

2.2 Autoclavability: Yes, Autoclavable at 15 psi and 121°C for 20 minutes

2.3 Centrifugation: 6000 RCF (Rated with Double Distilled water at 10°C for 30 minutes)

2.4 Leak Test at 635 mm Hg: No leakage

2.5 Manufactured in Clean room ISO Class 8 (100,000)

2.6 Chemical resistance: see website (www.abdoslifesciences.com)

2.7 Intended use: Widely used in scientific studies of molecular biology, clinical chemistry, biochemistry and any type of scientific laboratory.

*Depending on the quality of Centrifuge and compatibility of Rotor.

Autoclaving Guideline for Plastics

All plastic consumables are autoclavable at 121°C for 20 minutes, 15 psi/1atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50°C before removing product.

Technical Data Sheet

Instruction for Use

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness, pouch punctured etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimen.

Ensure all sample tubes are evenly filled

For each tube inserted in the rotor, add a tube of equal weight directly opposite it.

WARNING

DO NOT store strong oxidizing agents.


DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure

Wear a face shield and / or safety goggles if you have to work anywhere near a centrifuge that's in use.

Do not bump, jar, or move the centrifuge while the rotor is spinning. Make sure you don't have the cord dangling from a table edge where someone could catch their foot in it and pull down the centrifuge

Consult local fire codes prior to storage of flammable liquids.



Quality Manager
Abdos Labtech Private Limited
Employee Code 30110

