

**Sodium chloride peptone broth (buffered) with neutralizer
(30 g/l Polysorbate 80)** **AX011158**

For the dilution of samples in the analysis of non-sterile products for microbial contaminants

Presentation	Packaging Details	Shelf Life (Months)	Storage
Tubes 9 ml	50 tubes	15	15-25°C

COMPOSITION (g/l)

Potassium dihydrogen phosphate -----	3.6
di-sodium hydrogen phosphate dihydrate -----	7.2
sodium chloride -----	4.3
peptone from pepsin-digested meat -----	1.0
Polysorbate 80 -----	30.0 ml
Polysorbate 20 -----	20.0 ml
Egg Lécithine -----	3.0
histidine Chlorhydrate-----	1.0

USING

Samples for colony count and for the detection of *Pseudomonas aeruginosa* and *Staphylococcus aureus* should be diluted according to DAB 10.
Incubation: 24 h at 35 °C aerobically.

QUALITY CONTROL

Microbiological Control

Test strains	Growth
Escherichia coli ATCC 25922 / WDCM 00013	±30% / T0
Staphylococcus aureus ATCC 25923 / WDCM 00034	±30% / T0

According to

Eur. Ph., ISO 11133

BIBLIOGRAPHY

Deutsches Arzneibuch DAB 10, 10th ed., 1991